gusters

Sample ID: 1911ELA1212.3362 Strain: gusters Matrix: Concentrates & Extracts Type: Other

Manufactured: N/A Collected: 11/05/2019 Received: 11/06/2019 Completed: 11/08/2019

Sample Size: 1 units; Batch: Batch#:



Summary

Test Date Tested Result Batch Pass Cannabinoids 11/08/2019 Complete Pesticides 11/08/2019 Pass

Cannabinoids Complete

48.	7069%		ND		58.8709% Total Cannabinoids				
Tot	tal THC		Total CBD						
Analyte	LOD	LOQ	Result	Result					
	mg/g	mg/g	%	mg/g					
THCa	0.121	2.959	37.0769	370.769					
Δ9-THC	0.232	2.959	16.1905	161.905					
Δ8-THC	0.165	2.959	ND	ND					
THCV	0.263	2.959	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>					
CBDa	0.130	2.959	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>					
CBD	0.333	2.959	ND	ND					
CBDV	0.231	2.959	ND	ND					
CBN	0.113	2.959	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>					
CBGa	0.230	2.959	4.7609	47.609					
CBG	0.227	2.959	0.4426	4.426					
CBC	0.171	2.959	0.4000	4.000					
Total THC			48.7069	487.069					
Total CBD			ND	ND					
Total			58.8709	588.709					

Cannabinoids analysis by SOP LAB-001 utilizing High Performance Liquid Chromatography-Diode Array Detection (HPLC-DAD). Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected. If moisture content is tested and reported, the cannabinoid results are reported normalized to dry



Melinda Tu - QC Manager 11/08/2019

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



www.comment.amians.com

Thoreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.

2 of 2

(888) 835-2276 Lic# C8-0000037-LIC

gusters

Sample ID: 1911ELA1212.3362 Strain: gusters Matrix: Concentrates & Extracts Type: Other

Sample Size: 1 units; Batch:

Manufactured: N/A Collected: 11/05/2019 Received: 11/06/2019 Completed: 11/08/2019

Batch#:

Residual Pesticides Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	μg/g			µg/g	µg/g	µg/g	μg/g	
Abamectin	0.022	0.066	0.1	ND	Pass	Fludioxonil	0.015	0.046	0.1	ND	Pass
Acephate	0.004	0.012	0.1	ND	Pass	Hexythiazox	0.007	0.021	0.1	ND	Pass
Acequinocyl	0.015	0.044	0.1	ND	Pass	Imazalil	0.029	0.086	0.029	ND	Pass
Acetamiprid	0.005	0.015	0.1	ND	Pass	Imidacloprid	0.008	0.024	5	ND	Pass
Aldicarb	0.025	0.074	0.025	ND	Pass	Kresoxim Methyl	0.025	0.074	0.1	ND	Pass
Azoxystrobin	0.009	0.028	0.1	ND	Pass	Malathion	0.028	0.084	0.5	ND	Pass
Bifenazate	0.005	0.014	0.1	ND	Pass	Metalaxyl	0.026	0.079	2	ND	Pass
Bifenthrin	0.022	0.066	3	<loq< th=""><th>Pass</th><th>Methiocarb</th><th>0.031</th><th>0.093</th><th>0.031</th><th>ND</th><th>Pass</th></loq<>	Pass	Methiocarb	0.031	0.093	0.031	ND	Pass
Boscalid	0.014	0.042	0.1	ND	Pass	Methomyl	0.031	0.093	1	ND	Pass
Captan	0.21	0.593	0.7	ND	Pass	Methyl Parathion	0.011	0.033	0.011	ND	Pass
Carbaryl	0.009	0.027	0.5	ND	Pass	Mevinphos	0.01	0.031	0.01	ND	Pass
Carbofuran	0.018	0.054	0.018	ND	Pass	Myclobutanil	0.017	0.052	0.1	ND	Pass
Chlorantraniliprole	0.03	0.09	10	ND	Pass	Naled	0.027	0.082	0.1	ND	Pass
Chlordane	0.023	0.075	0.023	ND	Pass	Oxamyl	0.014	0.042	0.5	ND	Pass
Chlorfenapyr	0.007	0.022	0.007	ND	Pass	Paclobutraz <mark>ol</mark>	0.017	0.051	0.017	ND	Pass
Chlorpyrifos	0.018	0.054	0.018	ND	Pass	Pentachloronitrobenzene	0.025	0.079	0.1	ND	Pass
Clofentezine	0.025	0.075	0.1	ND	Pass	Permethrin	0.087	0.26	0.5	ND	Pass
Coumaphos	0.02	0.06	0.02	ND	Pass	Phosmet	0.02	0.06	0.1	ND	Pass
Cyfluthrin	0.158	0.475	2	ND	Pass	Piperonyl Butoxide	0.021	0.063	3	<loq< th=""><th>Pass</th></loq<>	Pass
Cypermethrin	0.037	0.111	1	<loq< th=""><th>Pass</th><th>Prallethrin</th><th>0.026</th><th>0.078</th><th>0.1</th><th>ND</th><th>Pass</th></loq<>	Pass	Prallethrin	0.026	0.078	0.1	ND	Pass
Daminozide	0.01	0.03	0.01	ND	Pass	Propiconaz <mark>ole</mark>	0.029	0.088	0.1	<loq< th=""><th>Pass</th></loq<>	Pass
Diazinon	0.008	0.024	0.1	ND	Pass	Propoxur	0.03	0.089	0.03	ND	Pass
Dichlorvos	0.015	0.044	0.015	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.027	0.082	0.027	ND	Pass	Pyridaben	0.006	0.018	0.1	ND	Pass
Dimethomorph	0.016	0.048	2	ND	Pass	Spinetoram	0.019	0.056	0.1	ND	Pass
Ethoprophos	0.018	0.055	0.018	ND	Pass	Spinosad	0.011	0.034	0.1	ND	Pass
Etofenprox	0.013	0.038	0.013	ND	Pass	Spiromesifen	0.019	0.057	0.1	ND	Pass
Etoxazole	0.029	0.088	0.1	ND	Pass	Spirotetramat	0.031	0.094	0.1	ND	Pass
Fenhexamid	0.019	0.058	0.1	ND	Pass	Spiroxamine	0.02	0.061	0.02	ND	Pass
Fenoxycarb	0.031	0.092	0.031	ND	Pass	Tebuconazole	0.008	0.025	0.1	ND	Pass
Fenpyroximate	0.01	0.03	0.1	ND	Pass	Thiacloprid	0.016	0.048	0.016	ND	Pass
Fipronil	0.016	0.047	0.016	ND	Pass	Thiamethoxam	0.005	0.015	5	ND	Pass
Flonicamid	0.001	0.004	0.1	ND	Pass	Trifloxystrobin	0.005	0.014	0.1	ND	Pass

Pasticides analysis by SOP LAB-005 using Gas Chromatography - Mass Spectrometry - Mass Spectrometry (GC-MS/MS) and by SOP LAB-004 utilizing Liquid Chromatography - Mass Spectrometry - Ma

Melinda Tu - QC Manager 11/08/2019

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



www.comment.amabis.com
Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.