



# Certificate of Analysis

Sample:CE11021003-001  
Harvest/Lot ID: N/A  
Batch#: 1021.1.1-2.1  
Metric Source Package #: N/A  
Metric #: N/A  
Batch Date: N/A  
Sample Size Received: 3 gram  
Total Weight/Volume: N/A  
Retail Product Size: N/A gram  
Ordered : 10/21/21  
sampled : 10/21/21  
Completed: 11/03/21 Expires: 11/03/22  
Sampling Method: SOP-024

Page 1 of 4

Nov 03, 2021 | Silver Linings Xtracts LLC

License # R&D  
636 Dutton Rd  
Eagle Point, OR, 97524, US



PRODUCT IMAGE	SAFETY RESULTS								MISC.	
	 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Homogeneity NOT TESTED	 Terpenes NOT TESTED

## CANNABINOID RESULTS



	CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	D9-THC	D8-THC	THCVA	CBC	THCA	CBCA
%	<LOQ	<LOQ	24.301	1.124	0.429	0.165	45.567	<LOQ	0.457	<LOQ	<LOQ	1.743	<LOQ	0.271
mg/g	<LOQ	<LOQ	243.01	11.24	4.29	1.65	455.67	<LOQ	4.57	<LOQ	<LOQ	17.43	<LOQ	2.71
LOQ	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

## Cannabinoid Profile Test

Analyzed by 13	Weight 0.414g	Extraction date : 10/22/21 03:10:51	Extracted By : 13
Analysis Method -SOP.T.40.020, SOP.T.30.050		Reviewed On - 10/25/21 15:07:04	Batch Date : 10/22/21 15:32:10
Analytical Batch -CE000476POT		Instrument Used : HPLC 2030 EID 005 - High Concentration	Running On :
Reagent 091721.03	Dilution 800	Consums. ID D01493069 229920161AS1N 436020160AS3 436020338AS2 436021005AS3 C0000642 041CD-041C 042C4-042AL	Consums. ID F148560 0325891

"Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100). For Cannabinoid analysis, only delta 9-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Instrument LOQ for all cannabinoids is 0.5 mg/mL, LOQ 'in matrix' is dependent on extraction parameters. FD = Field Duplicate; LOQ = Limit of Quantitation.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

Anthony Smith  
Lab Director  
State License #  
010-10166277B9D  
ISO Accreditation # 99861



11/03/21

Signature

Signed On



# Certificate of Analysis

**Silver Linings Xtracts LLC**

636 Dutton Rd  
Eagle Point, OR, 97524, US  
**Telephone:** (551) 427-4515  
**Email:** joseph@focushempco.com  
**License #:** R&D

**Sample : CE11021003-001**

**Harvest/LOT ID: N/A**

**Batch# : 1021.1.1-2.1**

**Sampled : 10/21/21**

**Ordered : 10/21/21**

**Sample Size Received : 3 gram**

**Total Weight/Volume : N/A**

**Completed : 11/03/21 Expires: 11/03/22**

**Sample Method : SOP-024**

Page 2 of 4

	<b>Residual Solvents</b>	<b>TESTED</b>
---	--------------------------	---------------

	<b>Residual Solvents</b>	<b>TESTED</b>
---	--------------------------	---------------

Solvent	LOQ	Units	Action Level	Pass/Fail	Result
1-4 DIOXANE	190	ppm	380	R&D	<LOQ
2-BUTANOL	2500	ppm	5000	R&D	<LOQ
2-ETHOXYETHANOL	80	ppm	160	R&D	<LOQ
2-PROPANOL	2500	ppm	5000	R&D	<LOQ
ACETONE	2500	ppm	5000	R&D	<LOQ
ACETONITRILE	205	ppm	410	R&D	<LOQ
BENZENE	1	ppm	2	R&D	<LOQ
BUTANES	1250	ppm	5000	R&D	<LOQ
CUMENE	35	ppm	70	R&D	<LOQ
CYCLOHEXANE	1940	ppm	3880	R&D	<LOQ
DICHLOROMETHANE	300	ppm	600	R&D	<LOQ
ETHANOL	500	ppm	1000000	R&D	<LOQ
ETHYL ACETATE	2500	ppm	5000	R&D	<LOQ
ETHYL ETHER	2500	ppm	5000	R&D	<LOQ
ETHYLENE GLYCOL	310	ppm	620	R&D	<LOQ
ETHYLENE OXIDE	25	ppm	50	R&D	<LOQ
HEPTANE	2500	ppm	5000	R&D	<LOQ
HEXANES	15	ppm	290	R&D	<LOQ
ISOPROPYL ACETATE	2500	ppm	5000	R&D	<LOQ
METHANOL	1500	ppm	3000	R&D	<LOQ
PENTANES	833	ppm	5000	R&D	<LOQ
PROPANE	2500	ppm	5000	R&D	<LOQ
TETRAHYDROFURAN	360	ppm	720	R&D	<LOQ
TOLUENE	445	ppm	890	R&D	<LOQ
XYLENES	271	ppm	2170	R&D	<LOQ

**Analyzed by** 12      **Weight** 0.018g      **Extraction date** 11/01/21 09:11:54      **Extracted By** 12

**Analysis Method -Residual solvents screening is performed using GC-MS to OAR 333-007-0410 specification.**

**Analytical Batch -CE000495SOL    Reviewed On - 11/01/21 15:52:59**

**Instrument Used : GCMS-QP2020 EID:0170**

**Running On : 11/01/21 09:44:58**

**Batch Date : 11/01/21 09:33:31**

Reagent	Dilution	Consums. ID
	1	

Residual solvents screening is performed using GC-MS to OAR 333-007-0410 specification.



# POTENCY BATCH QC REPORT

 **METHOD BLANK**

Cannabinoid	LOQ	Result	Units
CBDV_WET	0.1	<LOQ	%
CBDVA_WET	0.1	<LOQ	%
THCV_WET	0.1	<LOQ	%
CBD_WET	0.1	<LOQ	%
CBG_WET	0.1	<LOQ	%
CBDA_WET	0.1	<LOQ	%
CBN_WET	0.1	<LOQ	%
CBGA_WET	0.1	<LOQ	%
THCVA_WET	0.1	<LOQ	%
D9-THC_WET	0.1	<LOQ	%
D8-THC_WET	0.1	<LOQ	%
CBC_WET	0.1	<LOQ	%
THCA_WET	0.1	<LOQ	%
CBC-A_WET	0.1	<LOQ	%
TOTAL CANNABINOIDS	0.1	<LOQ	%
TOTAL CBD	0.1	<LOQ	%
TOTAL THC	0.1	<LOQ	%
CBDV	0.1	<LOQ	%
CBDVA	0.1	<LOQ	%
CBG	0.1	<LOQ	%
CBD	0.1	<LOQ	%
CBDA	0.1	<LOQ	%
THCV	0.1	<LOQ	%
CBGA	0.1	<LOQ	%
CBN	0.1	<LOQ	%
D9-THC	0.1	<LOQ	%
D8-THC	0.1	<LOQ	%
THCVA	0.1	<LOQ	%
CBC	0.1	<LOQ	%
THCA	0.1	<LOQ	%
CBCA	0.1	<LOQ	%

**Analytical Batch - CE000476POT**  
**Instrument Used : HPLC 2030 EID 005 - High Concentration**

 **LCS**

Cannabinoid	LOQ	Recovery	Units	Recovery Limits
CBG_WET	0.1	101	%	70-130
CBD_WET	0.1	98.1	%	70-130
CBDA_WET	0.1	98.7	%	70-130
THCV_WET	0.1	102.4	%	70-130
CBGA_WET	0.1	99	%	70-130
CBN_WET	0.1	104.1	%	70-130
D9-THC_WET	0.1	101.1	%	70-130
CBC_WET	0.1	100	%	70-130
THCA_WET	0.1	101.6	%	70-130
CBC-A_WET	0.1	98.3	%	70-130

**Analytical Batch - CE000476POT**  
**Instrument Used : HPLC 2030 EID 005 - High Concentration**

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

**Anthony Smith**  
Lab Director  
State License #  
010-10166277B9D  
ISO Accreditation # 99861



11/03/21

Signature

Signed On





# SOLVENT BATCH QC REPORT

 **METHOD BLANK**

Residual	LOQ	Result	Units
PROPANE	2500	<LOQ	ppm
METHANOL	1500	<LOQ	ppm
ETHYLENE OXIDE	25	<LOQ	ppm
ETHANOL	500	<LOQ	ppm
ETHYL ETHER	2500	<LOQ	ppm
ACETONE	2500	<LOQ	ppm
2-PROPANOL	2500	<LOQ	ppm
ACETONITRILE	205	<LOQ	ppm
DICHLOROMETHANE	300	<LOQ	ppm
ETHYL ACETATE	2500	<LOQ	ppm
2-BUTANOL	2500	<LOQ	ppm
TETRAHYDROFURAN	360	<LOQ	ppm
CYCLOHEXANE	1940	<LOQ	ppm
ISOPROPYL ACETATE	2500	<LOQ	ppm
BENZENE	1	<LOQ	ppm
HEPTANE	2500	<LOQ	ppm
1-4 DIOXANE	190	<LOQ	ppm
2-ETHOXYETHANOL	80	<LOQ	ppm
ETHYLENE GLYCOL	310	<LOQ	ppm
TOLUENE	445	<LOQ	ppm
CUMENE	35	<LOQ	ppm
BUTANES	1250	<LOQ	ppm
HEXANES	15	<LOQ	ppm
PENTANES	833	<LOQ	ppm
XYLENES	271	<LOQ	ppm

**Analytical Batch - CE000495SOL**  
**Instrument Used : GCMS-QP2020 EID:0170**

 **LCS**

Residual	LOQ	Recovery	Units	Recovery Limits
1-4 DIOXANE	190	100	ppm	50-150
2-BUTANOL	2500	102.3	ppm	50-150
2-ETHOXYETHANOL	80	95.5	ppm	50-150
2-PROPANOL	2500	102.7	ppm	50-150
ACETONE	2500	102.9	ppm	50-150
ACETONITRILE	205	98.1	ppm	50-150
BENZENE	1	100.1	ppm	50-150
CUMENE	35	121.2	ppm	50-150
CYCLOHEXANE	1940	104.1	ppm	50-150
DICHLOROMETHANE	300	102.4	ppm	50-150
ETHANOL	500	103.3	ppm	50-150
ETHYL ACETATE	2500	102.8	ppm	50-150
ETHYL ETHER	2500	102.8	ppm	50-150
ETHYLENE GLYCOL	310	103.9	ppm	50-150
HEPTANE	2500	101.1	ppm	50-150
ISOPROPYL ACETATE	2500	99.8	ppm	50-150
METHANOL	1500	101.3	ppm	50-150
TETRAHYDROFURAN	360	100.9	ppm	50-150
TOLUENE	445	100.7	ppm	50-150

**Analytical Batch - CE000495SOL**  
**Instrument Used : GCMS-QP2020 EID:0170**

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

**Anthony Smith**  
Lab Director  
State License #  
010-10166277B9D  
ISO Accreditation # 99861



11/03/21

Signature

Signed On