

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIO Labs.com

FHC Distillate 1020.4.1-4

Silver Lining Xtracts LLC

AG-R1049952IHH



Confident Cannabis ID: 2010KR0114.5398

Sample ID: M201662-01

Matrix: Distillate

METRC Batch #:

Sampling Method/SOP: SOP.T.20.010

Date Sampled: 10/14/2020 9:00:00AM

Date Accepted: 10/14/20

Harvest/Process Lot ID: 1020.4.1-0

Batch ID: 1020.4.1-4

Batch Size (g): 33000g

Unit for Sale:

Harvest/Production Date: 10-14-2020


Cannabinoid Analysis

Date/Time Extracted: 10/14/20 14:25

Date/Time Analyzed: 10/14/20 20:25

Analysis Method/SOP: SOP.T.40.020

Cannabinoids	LOQ(%)	mg/g	% weight	Cannabinoid Profile
Total THC ((THCA*0.877)+Δ9THC)		28.00	2.800	
Total CBD ((CBDA*0.877)+CBD)		832.00	83.200	
THCA	0.100	< LOQ	< LOQ	
delta 9-THC	0.100	28.00	2.80	
delta 8-THC	0.100	< LOQ	< LOQ	
THCV	0.100	< LOQ	< LOQ	
CBGA	0.100	< LOQ	< LOQ	
CBDA	0.100	< LOQ	< LOQ	
CBD	0.100	832.00	83.2	
CBDV	0.100	3.71	0.371	
CBN	0.100	1.08	0.108	
CBG	0.100	13.50	1.35	
CBC	0.100	36.50	3.65	
THCV-A	0.100	< LOQ	< LOQ	
CBDV-A	0.100	< LOQ	< LOQ	
CBCA	0.100	< LOQ	< LOQ	
Sum of tested Cannabinoids	0.100	915.00	91.5	



"Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100). For Cannabinoid analysis, only delta 9-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Oregon Water Activity action level is 0.65Aw and Oregon Moisture Content action level is 15%, Samples above limit will be highlighted RED; FD = Field Duplicate; LOQ = Limit of Quantitation.

Stephanie Moon
Laboratory Director - 10/20/2020

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIO Labs.com

FHC Distillate 1020.4.1-4

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M201662-01

METRC Batch #:

Matrix: Distillate

Date Sampled: 10/14/20 09:00

Date Accepted: 10/14/20

Batch ID: 1020.4.1-4

Batch Size: 33000g

Sampling Method/SOP: SOP.T.20.010

Pesticides

Date/Time Extracted: 10/14/20 09:32

Date/Time Analyzed: 10/19/2020 4:47:57AM

Analysis Method/SOP: SOP.T.40.050 / SOP.T.40.051

Analyte	LOQ	Action Level	Result	Units	Type
Abamectin	0.250	0.5	< LOQ	ppm	
Acephate	0.200	0.4	< LOQ	ppm	Organophosphate insecticide
Acequinocyl	1.00	2	< LOQ	ppm	
Acetamiprid	0.100	0.2	< LOQ	ppm	Neonicotinoid insecticide
Aldicarb	0.200	0.4	< LOQ	ppm	Carbamate insecticide
Azoxystrobin	0.100	0.2	< LOQ	ppm	
Bifenazate	0.100	0.2	< LOQ	ppm	Unclassified insecticide
Bifenthrin	0.100	0.2	< LOQ	ppm	
Boscalid	0.200	0.4	< LOQ	ppm	Anilide fungicide
Carbaryl	0.100	0.2	< LOQ	ppm	Carbamate insecticide
Carbofuran	0.100	0.2	< LOQ	ppm	Carbamate insecticide
Chlorantraniliprole	0.100	0.2	< LOQ	ppm	Anthranilic diamide insecticide
Chlorfenapyr	0.500	1	< LOQ	ppm	Pyrazole insecticide
Chlorpyrifos	0.100	0.2	< LOQ	ppm	Organophosphate insecticide
Clofentezine	0.100	0.2	< LOQ	ppm	
Cyfluthrin	0.500	1	< LOQ	ppm	
Cypermethrin	0.500	1	< LOQ	ppm	
Daminozide	0.500	1	< LOQ	ppm	
DDVP (Dichlorvos)	0.500	1	< LOQ	ppm	
Diazinon	0.100	0.2	< LOQ	ppm	Organophosphate insecticide
Dimethoate	0.100	0.2	< LOQ	ppm	
Ethoprophos	0.100	0.2	< LOQ	ppm	
Etofenprox	0.200	0.4	< LOQ	ppm	
Etoxazole	0.100	0.2	< LOQ	ppm	Unclassified miticide
Fenoxycarb	0.100	0.2	< LOQ	ppm	
Fenpyroximate	0.200	0.4	< LOQ	ppm	
Fipronil	0.200	0.4	< LOQ	ppm	Pyrazole insecticide
Flonicamid	0.500	1	< LOQ	ppm	Pyridinecarboxamide insecticide
Fludioxonil	0.200	0.4	< LOQ	ppm	non-systemic fungicide
Hexythiazox	0.500	1	< LOQ	ppm	
Imazalil	0.100	0.2	< LOQ	ppm	Azole fungicide
Imidacloprid	0.200	0.4	< LOQ	ppm	Neonicotinoid insecticide
Kresoxim-methyl	0.200	0.4	< LOQ	ppm	
Malathion	0.100	0.2	< LOQ	ppm	
Metalaxyl	0.100	0.2	< LOQ	ppm	
Methiocarb	0.100	0.2	< LOQ	ppm	Carbamate insecticide



Stephanie Moon
Laboratory Director - 10/20/2020

Page 2 of 8

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIO Labs.com

FHC Distillate 1020.4.1-4

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M201662-01

METRC Batch #:

Matrix: Distillate

Date Sampled: 10/14/20 09:00

Date Accepted: 10/14/20

Batch ID: 1020.4.1-4

Batch Size: 33000g

Sampling Method/SOP: SOP.T.20.010

Pesticides

Date/Time Extracted: 10/14/20 09:32

Date/Time Analyzed: 10/19/2020 4:47:57AM

Analysis Method/SOP: SOP.T.40.050 / SOP.T.40.051

Analyte	LOQ	Action Level	Result	Units	Type
Methomyl	0.200	0.4	< LOQ	ppm	Carbamate insecticide
Methyl parathion	0.100	0.2	< LOQ	ppm	
MGK-264	0.100	0.2	< LOQ	ppm	
Myclobutanil	0.100	0.2	< LOQ	ppm	Azole fungicide
Naled	0.250	0.5	< LOQ	ppm	
Oxamyl	0.500	1	< LOQ	ppm	Carbamate insecticide
Paclobutrazol	0.200	0.4	< LOQ	ppm	Azole plant growth regulator
Permethrins	0.100	0.2	< LOQ	ppm	
Phosmet	0.100	0.2	< LOQ	ppm	Organophosphate insecticide
Piperonyl butoxide	1.00	2	< LOQ	ppm	
Prallethrin	0.100	0.2	< LOQ	ppm	
Propiconazole	0.200	0.4	< LOQ	ppm	
Propoxur	0.100	0.2	< LOQ	ppm	Carbamate insecticide
Pyrethrins	0.500	1	< LOQ	ppm	
Pyridaben	0.100	0.2	< LOQ	ppm	Unclassified insecticide
Spinosad	0.100	0.2	< LOQ	ppm	Spinosyn insecticide
Spiromesifen	0.100	0.2	< LOQ	ppm	Keto-enol insecticide
Spirotetramat	0.100	0.2	< LOQ	ppm	Keto-enol insecticide
Spiroxamine	0.200	0.4	< LOQ	ppm	Unclassified fungicide
Tebuconazole	0.200	0.4	< LOQ	ppm	
Thiacloprid	0.100	0.2	< LOQ	ppm	
Thiamethoxam	0.100	0.2	< LOQ	ppm	Neonicotinoid insectide
Trifloxystrobin	0.100	0.2	< LOQ	ppm	Strobin fungicide

Results above the action level fail Oregon state testing requirements and will be highlighted **RED**.

LOQ= Limit of Quantitation; PPM= Parts per million; ND= Not detected; NT= Not tested; AC= Above calibration range. PASS/FAIL status based on OAR 333-007.



Stephanie Moon
Laboratory Director - 10/20/2020

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIO Labs.com

FHC Distillate 1020.4.1-4

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M201662-01

METRC Batch #:

Matrix: Distillate

Date Sampled: 10/14/20 09:00

Date Accepted: 10/14/20

Batch ID: 1020.4.1-4

Batch Size: 33000g

Sampling Method/SOP: SOP.T.20.010

Residual Solvents

Analyte	LOQ	Action Level	Result	Units
Butanes	2500	5000 ³	< LOQ	ppm
n-Butane	1250	5000	< LOQ	ppm
iso-Butane	1250	5000	< LOQ	ppm
Hexanes	145	290 ⁴	< LOQ	ppm
n-Hexane	145	290	< LOQ	ppm
2-Methylpentane	145	290	< LOQ	ppm
3-Methylpentane	145	290	< LOQ	ppm
2,2-Dimethylbutane	145	290	< LOQ	ppm
2,3-Dimethylbutane	145	290	< LOQ	ppm
Pentanes	2500	5000 ⁵	< LOQ	ppm
n-Pentane	833.33	5000	< LOQ	ppm
iso-Pentane	833.33	5000	< LOQ	ppm
Neopentane	833.33	5000	< LOQ	ppm
Xylenes	1085	2170	< LOQ	ppm
1,2-Dimethylbenzene	271.25	2170	< LOQ	ppm
1,3-Dimethylbenzene	271.25	2170	< LOQ	ppm
1,4-Dimethylbenzene	271.25	2170	< LOQ	ppm
Xylenes MP	1085	2170	< LOQ	ppm
Ethyl benzene	271.25	NA	< LOQ	ppm
2-Propanol (IPA)	2500	5000	< LOQ	ppm
Acetone	2500	5000	< LOQ	ppm
Acetonitrile	205	410	< LOQ	ppm
Benzene	1	2	< LOQ	ppm
Methanol	1500	3000	< LOQ	ppm
Propane	2500	5000	< LOQ	ppm
Toluene	445	890	< LOQ	ppm
Dichloromethane	300	600	< LOQ	ppm
1,4-Dioxane	190	380	< LOQ	ppm
2-Butanol	2500	5000	< LOQ	ppm
2-Ethoxyethanol	80	160	< LOQ	ppm
Cumene	35	70	< LOQ	ppm
Cyclohexane	1940	3880	< LOQ	ppm
Ethyl acetate	2500	5000	< LOQ	ppm
Ethyl ether	2500	5000	< LOQ	ppm
Ethylene glycol	310	620	< LOQ	ppm
Ethylene oxide	25	50	< LOQ	ppm
Heptane	2500	5000	< LOQ	ppm
Isopropyl acetate	2500	5000	< LOQ	ppm
Tetrahydrofuran	360	720	< LOQ	ppm

Date/Time Extracted: 10/16/20 15:09

Date/Time Analyzed: 10/17/20 06:41

Analysis Method/SOP: SOP.T.40.031

3 - Total butanes are calculated as sum of n-butanes (CAS# 106-97-8) and iso-butane (CAS# 75-28-5)

4 - Total hexanes are calculated as sum of n-hexane (CAS# 110-54-3), 2-methylpentane (CAS# 107-83-5), 3-methylpentane (CAS# 96-14-0), 2,2-dimethylbutane (CAS# 75-83-2), 2,3-dimethylbutane (CAS# 79-29-8)

5 - Total pentanes are calculated as sum of n-pentane (CAS# 109-66-0), iso-pentane (CAS# 78-78-4), and neo-pentane (CAS# 463-82-1)

6 - Total xylenes are calculated as 1,2-dimethylbenzene (CAS# 95-47-6), 1,3-dimethylbenzene (CAS# 106-42-3), and 1,4-dimethylbenzene (CAS# 106-42-3)

7 - Ethanol is not regulated under OAR-333-007-0410.

Results above the action level fail Oregon state testing requirements and will be highlighted **RED**. LOQ=Limit of Quantitation; PPM=Parts per million; ND=Not detected; NT=Not tested; AC=Above calibration range. PASS/FAIL status based on OAR 333-007. Analysis performed in conjunction with EVIO Labs Portland.



Stephanie Moon

Laboratory Director - 10/20/2020

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIO Labs.com

Quality Control

Batch: M20J077 - SOP.T.30.060 Pesticide Prep

Blank(M20J077-BLK1)				Extracted: 10/14/20 09:32		Analyzed: 10/19/20 15:09	
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Methyl parathion	< LOQ	0.100 (ppm)	< LOQ	MGK-264	< LOQ	0.100 (ppm)	< LOQ
Chlorfenapyr	< LOQ	0.500 (ppm)	< LOQ	Cyfluthrin	< LOQ	0.500 (ppm)	< LOQ
Cypermethrin	< LOQ	0.500 (ppm)	< LOQ	Abamectin	< LOQ	0.250 (ppm)	< LOQ
Acephate	< LOQ	0.200 (ppm)	< LOQ	Acequinocyl	< LOQ	1.00 (ppm)	< LOQ
Acetamiprid	< LOQ	0.100 (ppm)	< LOQ	Aldicarb	< LOQ	0.200 (ppm)	< LOQ
Azoxystrobin	< LOQ	0.100 (ppm)	< LOQ	Bifenazate	< LOQ	0.100 (ppm)	< LOQ
Bifenthrin	< LOQ	0.100 (ppm)	< LOQ	Boscalid	< LOQ	0.200 (ppm)	< LOQ
Carbaryl	< LOQ	0.100 (ppm)	< LOQ	Carbofuran	< LOQ	0.100 (ppm)	< LOQ
Chlorantraniliprole	< LOQ	0.100 (ppm)	< LOQ	Chlorpyrifos	< LOQ	0.100 (ppm)	< LOQ
Clofentezine	< LOQ	0.100 (ppm)	< LOQ	Daminozide	< LOQ	0.500 (ppm)	< LOQ
DDVP (Dichlorvos)	< LOQ	0.500 (ppm)	< LOQ	Diazinon	< LOQ	0.100 (ppm)	< LOQ
Dimethoate	< LOQ	0.100 (ppm)	< LOQ	Ethoprophos	< LOQ	0.100 (ppm)	< LOQ
Etofenprox	< LOQ	0.200 (ppm)	< LOQ	Etoxazole	< LOQ	0.100 (ppm)	< LOQ
Fenoxycarb	< LOQ	0.100 (ppm)	< LOQ	Fenpyroximate	< LOQ	0.200 (ppm)	< LOQ
Fipronil	< LOQ	0.200 (ppm)	< LOQ	Flonicamid	< LOQ	0.500 (ppm)	< LOQ
Fludioxonil	< LOQ	0.200 (ppm)	< LOQ	Hexythiazox	< LOQ	0.500 (ppm)	< LOQ
Imazalil	< LOQ	0.100 (ppm)	< LOQ	Imidacloprid	< LOQ	0.200 (ppm)	< LOQ
Kresoxim-methyl	< LOQ	0.200 (ppm)	< LOQ	Malathion	< LOQ	0.100 (ppm)	< LOQ
Metalaxyl	< LOQ	0.100 (ppm)	< LOQ	Methiocarb	< LOQ	0.100 (ppm)	< LOQ
Methomyl	< LOQ	0.200 (ppm)	< LOQ	Myclobutanil	< LOQ	0.100 (ppm)	< LOQ
Naled	< LOQ	0.250 (ppm)	< LOQ	Oxamyl	< LOQ	0.500 (ppm)	< LOQ
Paclobutrazol	< LOQ	0.200 (ppm)	< LOQ	Permethrins	< LOQ	0.100 (ppm)	< LOQ
Phosmet	< LOQ	0.100 (ppm)	< LOQ	Piperonyl butoxide	< LOQ	1.00 (ppm)	< LOQ
Prallethrin	< LOQ	0.100 (ppm)	< LOQ	Propiconazole	< LOQ	0.200 (ppm)	< LOQ
Propoxur	< LOQ	0.100 (ppm)	< LOQ	Pyridaben	< LOQ	0.100 (ppm)	< LOQ
Pyrethrins	< LOQ	0.500 (ppm)	< LOQ	Spinosad	< LOQ	0.100 (ppm)	< LOQ
Spiromesifen	< LOQ	0.100 (ppm)	< LOQ	Spirotetramat	< LOQ	0.100 (ppm)	< LOQ
Spiroxamine	< LOQ	0.200 (ppm)	< LOQ	Tebuconazole	< LOQ	0.200 (ppm)	< LOQ
Thiacloprid	< LOQ	0.100 (ppm)	< LOQ	Thiamethoxam	< LOQ	0.100 (ppm)	< LOQ
Trifloxystrobin	< LOQ	0.100 (ppm)	< LOQ				

LCS(M20J077-BS1)				Extracted: 10/14/20 09:32		Analyzed: 10/19/20 15:36	
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Methyl parathion	104	0.100 (ppm)	50-150	MGK-264	95.2	0.100 (ppm)	50-150
Chlorfenapyr	101	0.500 (ppm)	50-150	Cyfluthrin	101	0.500 (ppm)	50-150
Cypermethrin	98.6	0.500 (ppm)	50-150	Abamectin	85.0	0.250 (ppm)	50-150
Acephate	133	0.200 (ppm)	50-150	Acequinocyl	102	1.00 (ppm)	50-150



Stephanie Moon
Laboratory Director - 10/20/2020

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIO Labs.com

Quality Control

Batch: M20J077 - SOP.T.30.060 Pesticide Prep (Continued)

LCS(M20J077-BS1)				Extracted: 10/14/20 09:32		Analyzed: 10/18/20 19:00	
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Acetamiprid	121	0.100 (ppm)	50-150	Aldicarb	192	0.200 (ppm)	50-150
Azoxystrobin	111	0.100 (ppm)	50-150	Bifenazate	102	0.100 (ppm)	50-150
Bifenthrin	64.1	0.100 (ppm)	50-150	Boscalid	111	0.200 (ppm)	50-150
Carbaryl	141	0.100 (ppm)	50-150	Carbofuran	141	0.100 (ppm)	50-150
Chlorantraniliprole	108	0.100 (ppm)	50-150	Chlorpyrifos	73.3	0.100 (ppm)	50-150
Clofentezine	64.7	0.100 (ppm)	50-150	Daminozide	209	0.500 (ppm)	50-150
DDVP (Dichlorvos)	107	0.500 (ppm)	50-150	Diazinon	107	0.100 (ppm)	50-150
Dimethoate	139	0.100 (ppm)	50-150	Ethoprophos	113	0.100 (ppm)	50-150
Etofenprox	82.4	0.200 (ppm)	50-150	Etoxazole	95.5	0.100 (ppm)	50-150
Fenoxycarb	112	0.100 (ppm)	50-150	Fenpyroximate	97.1	0.200 (ppm)	50-150
Fipronil	103	0.200 (ppm)	50-150	Flonicamid	70.0	0.500 (ppm)	50-150
Fludioxonil	113	0.200 (ppm)	50-150	Hexythiazox	97.3	0.500 (ppm)	50-150
Imazalil	104	0.100 (ppm)	50-150	Imidacloprid	131	0.200 (ppm)	50-150
Kresoxim-methyl	116	0.200 (ppm)	50-150	Malathion	104	0.100 (ppm)	50-150
Metalaxyl	126	0.100 (ppm)	50-150	Methiocarb	115	0.100 (ppm)	50-150
Methomyl	112	0.200 (ppm)	50-150	Myclobutanil	111	0.100 (ppm)	50-150
Naled	112	0.250 (ppm)	50-150	Oxamyl	138	0.500 (ppm)	50-150
Paclobutrazol	121	0.200 (ppm)	50-150	Permethrins		0.100 (ppm)	50-150
Phosmet	111	0.100 (ppm)	50-150	Piperonyl butoxide	115	1.00 (ppm)	50-150
Prallethrin	80.3	0.100 (ppm)	50-150	Propiconazole	106	0.200 (ppm)	50-150
Propoxur	150	0.100 (ppm)	50-150	Pyridaben	96.1	0.100 (ppm)	50-150
Pyrethrins	187	0.500 (ppm)	50-150	Spinosad	98.0	0.100 (ppm)	50-150
Spiromesifen	112	0.100 (ppm)	50-150	Spirotetramat	87.1	0.100 (ppm)	50-150
Spiroxamine	108	0.200 (ppm)	50-150	Tebuconazole	97.6	0.200 (ppm)	50-150
Thiacloprid	139	0.100 (ppm)	50-150	Thiamethoxam	149	0.100 (ppm)	50-150
Trifloxystrobin	119	0.100 (ppm)	50-150				

Batch: M20J080 - SOP.T.30.050 Prep for Cannabinoids

Blank(M20J080-BLK1)				Extracted: 10/14/20 14:25		Analyzed: 10/14/20 17:41	
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
THCA	< LOQ	0.100 (%)	< LOQ	delta 9-THC	< LOQ	0.100 (%)	< LOQ
delta 8-THC	< LOQ	0.100 (%)	< LOQ	THCV-A	< LOQ	0.100 (%)	< LOQ
THCV	< LOQ	0.100 (%)	< LOQ	CBDA	< LOQ	0.100 (%)	< LOQ
CBD	< LOQ	0.100 (%)	< LOQ	CBDV-A	< LOQ	0.100 (%)	< LOQ
CBDV	< LOQ	0.100 (%)	< LOQ	CBG	< LOQ	0.100 (%)	< LOQ
CBGA	< LOQ	0.100 (%)	< LOQ	CBN	< LOQ	0.100 (%)	< LOQ
CBCA	< LOQ	0.100 (%)	< LOQ	CBC	< LOQ	0.100 (%)	< LOQ



Stephanie Moon
Laboratory Director - 10/20/2020

Page 6 of 8

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIO Labs.com

Quality Control

Batch: M20J080 - SOP.T.30.050 Prep for Cannabinoids (Continued)

Blank(M20J080-BLK1)				Extracted: 10/14/20 14:25		Analyzed: 10/14/20 17:41	
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Sum of tested Cannabinoid:				< LOQ	0.100 (%)	< LOQ	

LCS(M20J080-BS1)				Extracted: 10/14/20 14:25		Analyzed: 10/14/20 17:57	
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
THCA	92.7	(%)	70-130	delta 9-THC	93.5	(%)	70-130
THCV	93.7	(%)	70-130	CBDA	93.0	(%)	70-130
CBD	93.0	(%)	70-130	CBG	92.0	(%)	70-130
CBGA	92.4	(%)	70-130	CBN	99.4	(%)	70-130
CBCA	93.2	(%)	70-130	CBC	91.9	(%)	70-130

Batch: M20J098 - SOP.T.40.031 Solvents

Blank(M20J098-BLK1)				Extracted: 10/16/20 15:09		Analyzed: 10/17/20 01:55	
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Butanes	< LOQ	2500 (ppm)	< LOQ	n-Butane	< LOQ	1250 (ppm)	< LOQ
iso-Butane	< LOQ	1250 (ppm)	< LOQ	Hexanes	< LOQ	145 (ppm)	< LOQ
n-Hexane	< LOQ	145 (ppm)	< LOQ	2-Methylpentane	< LOQ	145 (ppm)	< LOQ
3-Methylpentane	< LOQ	145 (ppm)	< LOQ	2,2-Dimethylbutane	< LOQ	145 (ppm)	< LOQ
2,3-Dimethylbutane	< LOQ	145 (ppm)	< LOQ	Pentanes	< LOQ	2500 (ppm)	< LOQ
n-Pentane	< LOQ	833.33 (ppm)	< LOQ	iso-Pentane	< LOQ	833.33 (ppm)	< LOQ
Neopentane	< LOQ	833.33 (ppm)	< LOQ	Xylenes	< LOQ	1085 (ppm)	< LOQ
1,2-Dimethylbenzene	< LOQ	271.25 (ppm)	< LOQ	1,3-Dimethylbenzene	< LOQ	271.25 (ppm)	< LOQ
1,4-Dimethylbenzene	< LOQ	271.25 (ppm)	< LOQ	Xylenes MP	< LOQ	1085 (ppm)	< LOQ
Ethyl benzene	< LOQ	271.25 (ppm)	< LOQ	2-Propanol (IPA)	< LOQ	2500 (ppm)	< LOQ
Acetone	< LOQ	2500 (ppm)	< LOQ	Acetonitrile	< LOQ	205 (ppm)	< LOQ
Benzene	< LOQ	1 (ppm)	< LOQ	Methanol	< LOQ	1500 (ppm)	< LOQ
Propane	< LOQ	2500 (ppm)	< LOQ	Toluene	< LOQ	445 (ppm)	< LOQ
Dichloromethane	< LOQ	300 (ppm)	< LOQ	1,4-Dioxane	< LOQ	190 (ppm)	< LOQ
2-Butanol	< LOQ	2500 (ppm)	< LOQ	2-Ethoxyethanol	< LOQ	80 (ppm)	< LOQ
Cumene	< LOQ	35 (ppm)	< LOQ	Cyclohexane	< LOQ	1940 (ppm)	< LOQ
Ethyl acetate	< LOQ	2500 (ppm)	< LOQ	Ethyl ether	< LOQ	2500 (ppm)	< LOQ
Ethylene glycol	< LOQ	310 (ppm)	< LOQ	Ethylene oxide	< LOQ	25 (ppm)	< LOQ
Heptane	< LOQ	2500 (ppm)	< LOQ	Isopropyl acetate	< LOQ	2500 (ppm)	< LOQ
Tetrahydrofuran	< LOQ	360 (ppm)	< LOQ				

LCS(M20J098-BS1)				Extracted: 10/16/20 15:09		Analyzed: 10/17/20 02:24	
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Butanes		2500 (ppm)	0-200	n-Butane	74.0	1250 (ppm)	50-150
iso-Butane	63.3	1250 (ppm)	50-150				



Stephanie Moon
Laboratory Director - 10/20/2020

Page 7 of 8

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIO Labs.com

Quality Control

Batch: M20J098 - SOP.T.40.031 Solvents (Continued)

LCS(M20J098-BS1)				Extracted: 10/16/20 15:09		Analyzed: 10/17/20 02:24	
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Hexanes		145 (ppm)	0-200	n-Hexane	110	145 (ppm)	70-130
2-Methylpentane	101	145 (ppm)	70-130	3-Methylpentane	108	145 (ppm)	70-130
2,2-Dimethylbutane	102	145 (ppm)	70-130	2,3-Dimethylbutane	105	145 (ppm)	70-130
Pentanes		2500 (ppm)	0-200	n-Pentane	89.1	833.33 (ppm)	70-130
iso-Pentane	89.0	833.33 (ppm)	70-130	Neopentane	71.7	833.33 (ppm)	50-150
Xylenes		1085 (ppm)	0-200	1,2-Dimethylbenzene	97.2	271.25 (ppm)	70-130
1,3-Dimethylbenzene	101	271.25 (ppm)	70-130	1,4-Dimethylbenzene	99.8	271.25 (ppm)	70-130
Xylenes MP		1085 (ppm)	0-200	Ethyl benzene	95.4	271.25 (ppm)	70-130
2-Propanol (IPA)	92.8	2500 (ppm)	70-130	Acetone	103	2500 (ppm)	70-130
Acetonitrile	94.0	205 (ppm)	70-130	Benzene	96.7	1 (ppm)	70-130
Methanol	92.0	1500 (ppm)	70-130	Propane	27.6	2500 (ppm)	50-150
Toluene	102	445 (ppm)	70-130	Dichloromethane	109	300 (ppm)	70-130
1,4-Dioxane	103	190 (ppm)	70-130	2-Butanol	93.6	2500 (ppm)	70-130
2-Ethoxyethanol	73.1	80 (ppm)	70-130	Cumene	98.4	35 (ppm)	50-150
Cyclohexane	102	1940 (ppm)	70-130	Ethyl acetate	96.4	2500 (ppm)	70-130
Ethyl ether	93.0	2500 (ppm)	70-130	Ethylene glycol	173	310 (ppm)	70-130
Ethylene oxide	92.7	25 (ppm)	50-150	Heptane	114	2500 (ppm)	70-130
Isopropyl acetate	108	2500 (ppm)	70-130	Tetrahydrofuran	113	360 (ppm)	70-130



Stephanie Moon
 Laboratory Director - 10/20/2020