

CoolJarz™ A10-HotShot™ Cart Filling Systems

Fill 12,000 carts a day with near zero waste. Near-perfect precision. And total, 100% control.

By condensing the experience and feedback from hundreds of A10s, we built two totally redesigned, blazing fast, touch-controlled systems for filling carts, pens, syringes, whatever, at previously unattainable speeds.



CoolJarz™
BY EARTHWISE PACKAGING

WE TURN GREEN TO GOLD

A10-HotShot™ 1500 Cartridge Filling System

Totally redesigned, multi-fill system capable of filling 12,000 carts in an 8-hour day

Features ultra-high-speed processor and advanced oil injection system with a wide range of fully-controllable heat settings

Perfect for filling any oil viscosity – the thicker the better

Advanced heating system lets you process distillate oils cut as low as 3-percent terps

Two blazing fast filling options: our new button-activated SpeedTray™ plus a foot-activated fill switch

Both options enable you to fill carts directly in vendor-supplied foam blocks, and both are touchscreen controlled

Fill carts from .33 grams to 1 full gram with .01 gram increment control – custom increments also available

Quickly inject oils into all types of carts, pens and syringes with next to zero waste

Process batch sizes from minimal quantities up to one full liter of oil

Interchangeable, non-stick oil tanks let you swap out batches mid run. Two tanks are included with this system. Additional tanks are available as an option

Control oil temps by liquid heat transfer technology with half-degree accuracy

System includes two SpeedTray™ filling platforms so you can pre-load foam cart blocks for increased efficiency. Additional SpeedTrays™ are available as an option



System also includes a component kit containing injection needles, replacement valves, replacement heat transfer fluid, micro oil filters, and tools necessary for system setup and maintenance

System warranties: 24 months on aluminum components, 12 months on electronics, and 12 months on piston seals (Note: Piston seal coverage includes free parts replacement. Customer responsible for shipping costs for repairs)



A10-HotShot™ 750 Cartridge Filling System

Totally redesigned, single-fill system capable of filling 6,000 carts in an 8-hour day

Features high-speed processor and low-temp oil injection system

Designed to fill low-viscosity and cut oils at heats ranging from 95 to 115 degrees Fahrenheit

Foot-activated fill switch frees both hands for filling operation

Fill carts from .33 grams to 1 full gram with .01 gram increment control — custom increments also available

Quickly inject oils into all types of carts, pens and syringes with next to zero waste

Process batch sizes from minimal quantities up to one full liter of oil

Interchangeable, non-stick oil tank lets you swap out batches mid run. One tank is included with this system. Additional tanks are available as an option

Control oil temps by liquid heat transfer technology with half-degree accuracy

System includes a component kit containing injection needles, heat transfer fluid, plus tools necessary for setup and maintenance

System warranties: 6 months on aluminum components, 6 months on electronics, and 2 months on piston seals (Note: Piston seal coverage includes free parts replacement. Customer responsible for shipping costs for repairs)



CoolJarz™ A10-HotShot™ Comparison Chart



A10-HotShot™ 1500



A10-HotShot™ 750

Filling Capability	Multi-Fill	Single-Fill
Filling Processor	Ultra-High-Speed	High-Speed
Filling Rate	1500 per Hour	750 per Hour
Injection System	Extended Arm	Standard Port
Heating System	Advanced	Standard
Oil Temperature Range	140° to 180° F.	95° to 115° F.
Oil Viscosity Equivalents	Olive Oil, Glycerin, Honey	Olive Oil, Glycerin
Non-Stick Oil Tanks	Two	One
Tank Capacity	1,000 Grams	1,000 Grams
Button-Activated SpeedTray	Two	No
Foot-Activated Fill Switch	Yes	Yes
Injection Needles	Two Sizes plus Spares	Two Sizes
Shot Size Options	.33, .50, 1.0 Grams	.33, .50, 1.0 Grams
Component Kit	Spare Replacement Valves, Heating Fluid, Micro Oil Filters, Setup & Maintenance Tools	Setup & Maintenance Tools
Weight Empty	27 Lbs.	27 Lbs.
Footprint	16" L x 12" W x 20" H	16" L x 12" W x 20" H
Power Transformer	110v > 24v 10 amp	110v > 24v 10 amp
Warranty	Aluminum: 24 Months Electronics: 12 Months Piston Seals: 12 Months	Aluminum: 12 Months Electronics: 6 Months Piston Seals: 2 Months

Specifications subject to change without notice. Piston seal coverage includes free parts replacement. Customer responsible for shipping costs for repairs.

Visit hotshot.cooljarz.com for full demo video plus factory-direct pricing!

