



**WARNING** USE ONLY IN ADEQUATELY VENTILATED ENVIRONMENTS

Always use appropriate safety procedures when working with pressurized vessels.

Do not use in confined spaces.

Do not use in areas where flammable or explosive atmospheres may be present.

Do not use in areas where high temperatures may be present.

Do not use in areas where high pressures may be present.

Do not use in areas where high voltages may be present.

Do not use in areas where high currents may be present.

Do not use in areas where high frequencies may be present.

Do not use in areas where high magnetic fields may be present.

Do not use in areas where high electric fields may be present.

Do not use in areas where high sound levels may be present.

Do not use in areas where high radiation levels may be present.

Do not use in areas where high levels of vibration may be present.

Do not use in areas where high levels of noise may be present.

Do not use in areas where high levels of dust may be present.

Do not use in areas where high levels of humidity may be present.

Do not use in areas where high levels of oxygen may be present.

Do not use in areas where high levels of carbon dioxide may be present.

Do not use in areas where high levels of nitrogen may be present.

Do not use in areas where high levels of argon may be present.

Do not use in areas where high levels of helium may be present.

Do not use in areas where high levels of neon may be present.

Do not use in areas where high levels of krypton may be present.

Do not use in areas where high levels of xenon may be present.

Do not use in areas where high levels of radon may be present.

Do not use in areas where high levels of uranium may be present.

Do not use in areas where high levels of plutonium may be present.

Do not use in areas where high levels of americium may be present.

Do not use in areas where high levels of curium may be present.

Do not use in areas where high levels of berkelium may be present.

Do not use in areas where high levels of californium may be present.

Do not use in areas where high levels of einsteinium may be present.

Do not use in areas where high levels of fermium may be present.

Do not use in areas where high levels of mendelevium may be present.

Do not use in areas where high levels of nobelium may be present.

Do not use in areas where high levels of lawrencium may be present.

Do not use in areas where high levels of rutherfordium may be present.

Do not use in areas where high levels of dubnium may be present.

Do not use in areas where high levels of seaborgium may be present.

Do not use in areas where high levels of bohrium may be present.

Do not use in areas where high levels of hassium may be present.

Do not use in areas where high levels of meitnerium may be present.

Do not use in areas where high levels of darmstadtium may be present.

Do not use in areas where high levels of roentgenium may be present.

Do not use in areas where high levels of copernicium may be present.

Do not use in areas where high levels of nihonium may be present.

Do not use in areas where high levels of flerovium may be present.

Do not use in areas where high levels of livermorium may be present.

Do not use in areas where high levels of tennessine may be present.

Do not use in areas where high levels of oganesson may be present.