



# Certificate of Analysis

Powered by Confident Cannabis  
1 of 2

Sample: 2009TSF0117.8986

Strain: ISO PE2 - 9/15/20

Sample Received: 09/17/2020; Report Generated: 09/21/2020

## HTC ISO 2

Concentrates & Extracts, Cannabinoid Isolate, Propane  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



The photo on this report is of a sample collected by the lab and may vary from the final packaging

## Safety

|                           |                             |                               |
|---------------------------|-----------------------------|-------------------------------|
| <b>Pass</b><br>Pesticides | <b>Pass</b><br>Microbials   | <b>Pass</b><br>Mycotoxins     |
| <b>Pass</b><br>Solvents   | <b>Pass</b><br>Heavy Metals | <b>Pass</b><br>Foreign Matter |

## Cannabinoids

|                                       |                                      |                         |
|---------------------------------------|--------------------------------------|-------------------------|
| <b>&lt;LOQ</b><br>Total Potential THC | <b>99.90%</b><br>Total Potential CBD | <b>NR %</b><br>Moisture |
|---------------------------------------|--------------------------------------|-------------------------|

| Analyte      | LOQ  | Result       | Result       |
|--------------|------|--------------|--------------|
|              | %    | %            | mg/g         |
| THCa         | 0.05 | <LOQ         | <LOQ         |
| Δ9-THC       | 0.05 | <LOQ         | <LOQ         |
| Δ8-THC       | 0.05 | <LOQ         | <LOQ         |
| CBD          | 0.05 | 99.90        | 999.0        |
| CBDa         | 0.05 | <LOQ         | <LOQ         |
| CBC          | 0.05 | <LOQ         | <LOQ         |
| CBG          | 0.05 | <LOQ         | <LOQ         |
| CBN          | 0.05 | <LOQ         | <LOQ         |
| THCV         | 0.05 | <LOQ         | <LOQ         |
| CBGa         | 0.05 | <LOQ         | <LOQ         |
| <b>Total</b> |      | <b>99.90</b> | <b>999.0</b> |

## Terpenes

| Analyte             | LOQ  | Result      | Result   |
|---------------------|------|-------------|----------|
|                     | %    | %           | mg/g     |
| α-Bisabolol         | 0.05 | <LOQ        | <LOQ     |
| α-Humulene          | 0.05 | <LOQ        | <LOQ     |
| α-Pinene            | 0.05 | <LOQ        | <LOQ     |
| β-Caryophyllene     | 0.05 | <LOQ        | <LOQ     |
| β-Myrcene           | 0.05 | <LOQ        | <LOQ     |
| β-Pinene            | 0.05 | <LOQ        | <LOQ     |
| Caryophyllene Oxide | 0.05 | <LOQ        | <LOQ     |
| δ-Limonene          | 0.05 | <LOQ        | <LOQ     |
| Linalool            | 0.05 | <LOQ        | <LOQ     |
| Ocimene             | 0.05 | <LOQ        | <LOQ     |
| Terpinolene         | 0.05 | <LOQ        | <LOQ     |
| trans-Nerolidol     | 0.05 | <LOQ        | <LOQ     |
| <b>Total</b>        |      | <b>0.00</b> | <b>0</b> |

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com



Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866



www.confidentcannabis.com

All pass limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Potency performed per SOP-000001, Terpenes performed per SOP-000002, Metals performed per SOP-000003, Microbial testing performed per SOP-000004, Pesticides performed per SOP-000005. Moisture per SOP-000006. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.



# Certificate of Analysis

Powered by Confident Cannabis  
2 of 2

Sample: 2009TSF0117.8986

Strain: ISO PE2 - 9/15/20

Sample Received: 09/17/2020; Report Generated: 09/21/2020

## HTC ISO 2

Concentrates & Extracts, Cannabinoid Isolate, Propane  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

### Pesticides

Pass

| Analyte                 | Result | LOQ   | Limit | Status |
|-------------------------|--------|-------|-------|--------|
|                         | PPM    | PPM   | PPM   |        |
| Abamectin               | <LOQ   | 0.100 | 0.200 | Pass   |
| Acequinocyl             | <LOQ   | 2.000 | 4.000 | Pass   |
| Beta-Cyfluthrin         | <LOQ   | 0.200 | 2.000 | Pass   |
| Bifenazate              | <LOQ   | 0.100 | 0.400 | Pass   |
| Bifenthrin              | <LOQ   | 0.100 | 0.100 | Pass   |
| Cyfluthrin              | <LOQ   | 0.200 | 2.000 | Pass   |
| Cypermethrin            | <LOQ   | 0.200 | 1.000 | Pass   |
| Daminozide              | <LOQ   | 0.100 | 0.800 | Pass   |
| Dimethomorph            | <LOQ   | 0.100 | 2.000 | Pass   |
| Etoxazole               | <LOQ   | 0.100 | 0.400 | Pass   |
| Fenhexamid              | <LOQ   | 0.100 | 1.000 | Pass   |
| Flonicamid              | <LOQ   | 0.100 | 1.000 | Pass   |
| Fludioxonil             | <LOQ   | 0.100 | 0.500 | Pass   |
| Imidacloprid            | <LOQ   | 0.100 | 0.500 | Pass   |
| Myclobutanil            | <LOQ   | 0.100 | 0.400 | Pass   |
| Pacllobutrazol          | <LOQ   | 0.100 | 0.400 | Pass   |
| Piperonyl Butoxide      | <LOQ   | 0.100 | 3.000 | Pass   |
| Plant Growth Regulators | <LOQ   |       |       | Tested |
| Pyrethrins              | <LOQ   | 0.500 | 2.000 | Pass   |
| Quintozene              | <LOQ   | 0.100 | 0.800 | Pass   |
| Spinetoram              | <LOQ   | 0.100 | 1.000 | Pass   |
| Spinosad                | <LOQ   | 0.100 | 1.000 | Pass   |
| Spirotetramat           | <LOQ   | 0.100 | 1.000 | Pass   |
| Thiamethoxam            | <LOQ   | 0.100 | 0.400 | Pass   |
| Trifloxystrobin         | <LOQ   | 0.100 | 1.000 | Pass   |

### Microbials

Pass

| Analyte                  | Limit | LOQ   | Result | Status |
|--------------------------|-------|-------|--------|--------|
|                          | CFU/g | CFU/g | CFU/g  |        |
| Total Aerobic            | 10000 | 40    | <LOQ   | Pass   |
| Total Enterobacteriaceae | 100   |       | <LOQ   | Pass   |
| Total Coliforms          | 100   | 40    | <LOQ   | Pass   |
| Pathogenic E. Coli       | 1     |       | <LOQ   | Pass   |
| Salmonella               | 1     |       | <LOQ   | Pass   |
| Total Yeast & Mold       | 1000  | 40    | <LOQ   | Pass   |

### Residual Solvents

Pass

| Analyte   | Result | LOQ | Limit | Status |
|-----------|--------|-----|-------|--------|
|           | PPM    | PPM | PPM   |        |
| Butanes   | <LOQ   | 5   | 500   | Pass   |
| Ethanol   | <LOQ   | 5   |       | Tested |
| Heptanes  | <LOQ   | 5   | 500   | Pass   |
| Isobutane | <LOQ   | 5   | 500   | Pass   |
| Pentane   | 287    | 5   |       | Tested |
| Propane   | <LOQ   | 5   | 500   | Pass   |

### Mycotoxins

Pass

| Analyte          | Result | LOQ   | Limit | Status |
|------------------|--------|-------|-------|--------|
|                  | PPM    | PPM   | PPM   |        |
| Aflatoxins       | <LOQ   | 0.005 | 0.020 | Pass   |
| B1               | <LOQ   | 0.005 |       | Tested |
| B2               | <LOQ   | 0.005 |       | Tested |
| G1               | <LOQ   | 0.005 |       | Tested |
| G2               | <LOQ   | 0.005 |       | Tested |
| Ochratoxin A     | <LOQ   | 0.010 | 0.020 | Pass   |
| Total Mycotoxins | <LOQ   |       | 0.020 | Pass   |

### Heavy Metals

Pass

| Analyte | Result | LOQ   | Limit | Status |
|---------|--------|-------|-------|--------|
|         | PPM    | PPM   | PPM   |        |
| Arsenic | <LOQ   | 0.460 | 2.000 | Pass   |
| Cadmium | <LOQ   | 0.230 | 0.820 | Pass   |
| Lead    | <LOQ   | 0.310 | 1.200 | Pass   |
| Mercury | <LOQ   | 0.120 | 0.400 | Pass   |

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com



Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866



All pass limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Potency performed per SOP-000001, Terpenes performed per SOP-000002, Metals performed per SOP-000003, Microbial testing performed per SOP-000004, Pesticides performed per SOP-000005. Moisture per SOP-000006. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.