



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestlabs.com
Lic# C8-0000068-LIC

Regulatory Compliance Testing

Informational Use Only - Not For Regulatory
Use

1 of 4

CW-HC-20020

Sample ID: 2003CCT0960.2481
Strain: HPO-BS
Matrix: Concentrates & Extracts
Type: Crystalline Solid
Sample Size: 8 g; Batch:

Produced:
Collected:
Received: 04/01/2020
Completed: 04/03/2020
Batch#:

Client

CCTL-RD-2781 2782 2783 2784 2785



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	04/02/2020	Complete
Residual Solvents	04/02/2020	Pass
Microbials	04/02/2020	Pass
Mycotoxins	04/03/2020	Pass
Pesticides	04/03/2020	Pass
Heavy Metals	04/02/2020	Pass
Foreign Matter	04/02/2020	Pass

Cannabinoids

Complete

ND	88.400%	88.969%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result
	%	%	%	mg/g
THCa	0.0054	0.0018	ND	ND
Δ9-THC	0.0070	0.0023	ND	ND
Δ8-THC	0.0064	0.0021	0.140	1.40
THCV	0.0062	0.0021	ND	ND
CBDa	0.0054	0.0018	ND	ND
CBD	0.0062	0.0021	88.400	884.00
CBDV	0.0066	0.0022	0.290	2.90
CBN	0.0058	0.0019	0.027	0.27
CBGa	0.0066	0.0022	ND	ND
CBG	0.0061	0.0020	ND	ND
CBC	0.0068	0.0022	0.113	1.13
Total THC			ND	ND
Total CBD			88.400	884.00
Total			88.969	889.69

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: HPLC UV-DAD; Method: CCTL-PM002.

Not Required	Not Required	Pass
Moisture Content	Water Activity	Foreign Matter
Moisture Analyzer	Rotronic AwTherm	Intertek Magnifier Lamp



S. M. Angi

Satish Annigeri
Scientific Director
04/03/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC

Regulatory Compliance Testing

Informational Use Only - Not For Regulatory
Use

2 of 4

CW-HC-20020

Sample ID: 2003CCT0960.2481

Strain: HPO-BS

Matrix: Concentrates & Extracts

Type: Crystalline Solid

Sample Size: 8 g; Batch:

Produced:

Collected:

Received: 04/01/2020

Completed: 04/03/2020

Batch#:

Client

CCTL-RD-2781 2782 2783 2784 2785

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.04	0.078	0.1	ND	Pass	Fludioxonil	0.02	0.078	0.1	ND	Pass
Acephate	0.005	0.078	0.1	ND	Pass	Hexythiazox	0.005	0.078	0.1	ND	Pass
Acequinocyl	0.04	0.078	0.1	ND	Pass	Imazalil	0.005	0.078	0.005	ND	Pass
Acetamiprid	0.005	0.078	0.1	ND	Pass	Imidacloprid	0.005	0.078	5	ND	Pass
Aldicarb	0.005	0.078	0.005	ND	Pass	Kresoxim Methyl	0.005	0.078	0.1	ND	Pass
Azoxystrobin	0.02	0.078	0.1	ND	Pass	Malathion	0.039	0.078	0.5	ND	Pass
Bifenazate	0.005	0.078	0.1	ND	Pass	Metalaxyl	0.005	0.078	2	ND	Pass
Bifenthrin	0.01	0.078	3	ND	Pass	Methiocarb	0.005	0.078	0.005	ND	Pass
Boscalid	0.005	0.078	0.1	ND	Pass	Methomyl	0.005	0.078	1	ND	Pass
Captan	0.3	0.4	0.7	ND	Pass	Mevinphos	0.005	0.078	0.005	ND	Pass
Carbaryl	0.005	0.078	0.5	ND	Pass	Myclobutanil	0.005	0.078	0.1	ND	Pass
Carbofuran	0.005	0.078	0.005	ND	Pass	Naled	0.005	0.078	0.1	ND	Pass
Chlorantraniliprole	0.005	0.078	10	ND	Pass	Oxamyl	0.005	0.078	0.5	ND	Pass
Chlordane	0.005	0.078	0.005	ND	Pass	Paclobutrazol	0.005	0.078	0.005	ND	Pass
Chlorfenapyr	0.01	0.078	0.01	ND	Pass	Parathion Methyl	0.02	0.078	0.02	ND	Pass
Chlorpyrifos	0.02	0.078	0.02	ND	Pass	Pentachloronitrobenzene	0.005	0.078	0.1	ND	Pass
Clofentezine	0.005	0.078	0.1	ND	Pass	Permethrin	0.02	0.078	0.5	ND	Pass
Coumaphos	0.01	0.078	0.01	ND	Pass	Phosmet	0.005	0.078	0.1	ND	Pass
Cyfluthrin	0.3	0.6	2	ND	Pass	Piperonyl Butoxide	0.005	0.078	3	ND	Pass
Cypermethrin	0.15	0.3	1	ND	Pass	Prallethrin	0.03	0.078	0.1	ND	Pass
Daminozide	0.036	0.078	0.036	ND	Pass	Propiconazole	0.005	0.078	0.1	ND	Pass
Diazinon	0.005	0.078	0.1	ND	Pass	Propoxur	0.005	0.078	0.005	ND	Pass
Dichlorvos	0.039	0.078	0.039	ND	Pass	Pyrethrins	0.05	0.1	0.5	ND	Pass
Dimethoate	0.005	0.078	0.005	ND	Pass	Pyridaben	0.005	0.078	0.1	ND	Pass
Dimethomorph	0.078	0.313	2	ND	Pass	Spinetoram	0.005	0.078	0.1	ND	Pass
Ethoprophos	0.005	0.078	0.005	ND	Pass	Spinosad	0.005	0.078	0.1	ND	Pass
Etofenprox	0.005	0.078	0.005	ND	Pass	Spiromesifen	0.005	0.078	0.1	ND	Pass
Etoazole	0.005	0.078	0.1	ND	Pass	Spirotetramat	0.005	0.078	0.1	ND	Pass
Fenhexamid	0.015	0.078	0.1	ND	Pass	Spiroxamine	0.005	0.078	0.005	ND	Pass
Fenoxycarb	0.005	0.078	0.005	ND	Pass	Tebuconazole	0.005	0.078	0.1	ND	Pass
Fenpyroximate	0.005	0.078	0.1	ND	Pass	Thiacloprid	0.005	0.078	0.005	ND	Pass
Fipronil	0.005	0.078	0.005	ND	Pass	Thiamethoxam	0.005	0.078	5	ND	Pass
Flonicamid	0.005	0.078	0.1	ND	Pass	Trifloxystrobin	0.005	0.078	0.1	ND	Pass

Date Tested: 04/03/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS).



S. M. Annigeri

Satish Annigeri
Scientific Director
04/03/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC

Regulatory Compliance Testing

Informational Use Only - Not For Regulatory Use

3 of 4

CW-HC-20020

Sample ID: 2003CCT0960.2481

Strain: HPO-BS

Matrix: Concentrates & Extracts

Type: Crystalline Solid

Sample Size: 8 g; Batch:

Produced:

Collected:

Received: 04/01/2020

Completed: 04/03/2020

Batch#:

Client

CCTL-RD-2781 2782 2783 2784 2785

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 04/02/2020

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.0049	0.0098	20	ND	Pass
B2	0.0049	0.0098	20	ND	Pass
G1	0.0049	0.0098	20	ND	Pass
G2	0.0049	0.0098	20	ND	Pass
Total Aflatoxins	0.0049	0.0098	20	ND	Pass
Ochratoxin A	0.0049	0.039	20	ND	Pass

Date Tested: 04/03/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS; Method: CCTL-PM020.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0000218	0.00006606	0.2	0.003051473	Pass
Cadmium	0.000008009	0.00002427	0.2	0.000223502	Pass
Lead	0.000004141	0.00001255	0.5	0.110651436	Pass
Mercury	0.000002323	0.00000704	0.1	0.000347976	Pass

Date Tested: 04/02/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: ICP-MS; Method: CCTL-PM005.



S. M. Angi

Satish Annigeri
Scientific Director
04/03/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC

Regulatory Compliance Testing

Informational Use Only - Not For Regulatory Use

4 of 4

CW-HC-20020

Sample ID: 2003CCT0960.2481

Strain: HPO-BS

Matrix: Concentrates & Extracts

Type: Crystalline Solid

Sample Size: 8 g; Batch:

Produced:

Collected:

Received: 04/01/2020

Completed: 04/03/2020

Batch#:

Client

CCTL-RD-2781 2782 2783 2784 2785

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.05	0.1	1	ND	Pass
Acetone	0.1	0.2	5000	ND	Pass
Acetonitrile	0.1	0.2	410	ND	Pass
Benzene	0.05	0.1	1	ND	Pass
Butane	0.25	0.625	5000	ND	Pass
Chloroform	0.125	0.25	1	ND	Pass
Ethanol	0.1	0.2	5000	ND	Pass
Ethyl-Acetate	0.1	0.2	5000	ND	Pass
Ethyl-Ether	0.1	0.2	5000	ND	Pass
Ethylene Oxide	0.1	0.2	1	ND	Pass
Heptane	0.25	0.625	5000	ND	Pass
Isopropanol	0.1	0.2	5000	ND	Pass
Methanol	0.1	0.2	3000	ND	Pass
Methylene-Chloride	0.125	0.25	1	ND	Pass
n-Hexane	0.125	0.25	290	ND	Pass
Pentane	0.25	0.625	5000	1132.61	Pass
Propane	1	5	5000	ND	Pass
Toluene	1	5	890	ND	Pass
Trichloroethene	0.05	0.1	1	ND	Pass
Xylenes	0.25	0.625	2170	ND	Pass

Date Tested: 04/02/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: GC; Method: CCTL-PM010.



S. M. Angi

Satish Annigeri
Scientific Director
04/03/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.